



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/593,446	09/19/2006	Yoshitaka Kinoshita	071971-0741	9940
53080 7590 03/02/2010 MCDERMOTT WILL & EMERY LLP 600 13TH STREET, NW WASHINGTON, DC 20005-3096			EXAMINER WEBB, VERNON P	
			ART UNIT 2811	PAPER NUMBER
			MAIL DATE 03/02/2010	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/593,446	Applicant(s) KINOSHITA ET AL.	
	Examiner VERNON P. WEBB	Art Unit 2811	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 February 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9, 11, 12 and 14-21 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 15-18 and 20 is/are allowed.
- 6) ☐ Claim(s) 1-9, 11, 12, 14, 19 and 21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 19 September 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Status of Application

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 08/11/2009 has been entered. Claims 1-9, 11, 12, and 14-21 are pending in this application.

Response to Arguments

2. Applicant's arguments with respect to claims 1-9, 11, 12, 14, 19 and 21 have been considered but are moot in view of the new ground(s) of rejection.

Allowable Subject Matter

3. Claims 15-18 and 20 are allowed over the prior art.

4. The following is an examiner's statement of reasons for allowance: Allowable subject matter has been indicated because the closest prior reference of record Hasegawa et al. (U.S. Pub. Application 2004/0147134 A1), either alone or in combination fails to teach or fairly suggest the feature, "a third n-type semiconductor layer formed between the first n-type semiconductor layer and the light-emitting layer; and a fourth n-type semiconductor layer formed between the first n-type semiconductor layer and the light-emitting layer."

Art Unit: 2811

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claims 1-9, 11, 12, 14, 19 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hasegawa et al. (U.S. Pub. Application 2004/0147134 A1) further in view of Tsujimura et al. (U.S. Pub. Application 2003/0168653 A1) and D'Evelyn et al. (U.S. Pub. Application 2005/0087753 A1).

5. Regarding claim 1, Hasegawa et al. discloses a light-emitting diode comprising:

- a light-emitting layer (item 16) formed over the first n-type semiconductor layer (pg. 3, paragraph [0048]; Figs. 1-9).
- a second n-type semiconductor layer (item 12) formed between the substrate (item 11) and the first n-type semiconductor layer (item 13) (pg. 3, paragraph [0046]; Figs. 1-9);

Art Unit: 2811

- a third n-type semiconductor layer (item 14) formed between the first n-type semiconductor layer (item 13) and the light-emitting layer (item 16) (pg. 3, paragraph [0046]; Figs. 1-9).

6. Hasegawa et al. does not disclose a light-emitting diode a substrate made of group III-V nitride semiconductor or a first n-type semiconductor layer containing indium and formed over a main surface of the substrate.

7. However Tsujimura et al. discloses a light-emitting diode comprising a substrate (item 11) made of group III-V nitride semiconductor (pg. 4, paragraph [0071]; Fig. 1).

8. Additionally D'Evelyn et al. discloses a light-emitting diode comprising a first n-type semiconductor layer (item 172) containing indium and formed over a main surface of the substrate (item 106) (pg. 12, paragraph [0113], lines 5-9; Fig. 11).

9. It would have been obvious for one of ordinary skill in the art to form a light-emitting diode as disclosed by Hasegawa, comprising a substrate made of group III-V nitride semiconductor as disclosed by Tsujimura et al. and a first n-type semiconductor layer containing indium and formed over a main surface of the substrate as disclosed by D'Evelyn et al. since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416.

10. Regarding claim 2, Hasegawa et al. as modified by Tsujimura et al. discloses a diode as described in reference to claim 1, wherein the substrate (item 11) is made of gallium nitride (pg. 4, paragraph [0071]; Fig. 1; same motivation).

Art Unit: 2811

11. Regarding claim 3, Hasegawa et al. discloses a diode as described in reference to claim 1, wherein the substrate (item 11) is a substrate whose main surface is polished (pg. 3, paragraph [0044]; Figs. 1-9).

12. Regarding claim 4, Hasegawa et al. discloses a diode as described in reference to claim 3, wherein the substrate (item 11) is a substrate whose main surface is etched (pg. 3, paragraph [0044]; Figs. 1-9).

13. Regarding claim 5, Hasegawa et al. discloses a diode as described in reference to claim 3, wherein the substrate (item 11) is a substrate whose main surface is planarized (pg. 3, paragraphs [0044-0045]; Figs. 1-9).

14. Regarding claim 6, Hasegawa et al. discloses a diode as described in reference to claim 1, wherein the light-emitting layer (item 16) has a multiple quantum well structure (item 15) formed by alternately stacking a quantum well layer and a barrier layer, and the quantum well layer has a thickness of 1 to 2.5 nm inclusive (pg. 3, paragraph [0047]; Figs. 1-9)

15. Regarding claim 7, Hasegawa et al. as modified by Sato et al. discloses a diode as described in reference to claim 1, wherein the first n-type semiconductor layer is made of a compound whose general formula is represented by $\text{In}_a\text{Al}_b\text{Ga}_{1-a-b}\text{N}$ ($0 < a < 1$, $0 \leq b < 1$, $a+b \leq 1$) (col. 8, lines 35-39; Fig. 1; same motivation).

16. Regarding claim 8, Hasegawa et al. discloses a diode as described in reference to claim 7, wherein the aluminum content of the first n-type semiconductor layer (item 13) is 3% or lower (pg. 3, paragraph [0046]; Figs. 1-9).

Art Unit: 2811

17. Regarding claim 9, Hasegawa et al. discloses a diode as described in reference to claim 1, wherein the first n-type semiconductor layer (item 13) has a thickness of 10 nm to 1 μ m inclusive (pg. 3, paragraph [0046]; Figs. 1-9).

18. Regarding claim 11, Hasegawa et al. discloses a diode as described in reference to claim 10, wherein the second n-type semiconductor layer (item 12) is made of a compound whose general formula is represented by $\text{In}_c\text{Al}_d\text{Ga}_{1-c-d}\text{N}$ ($0 \leq c < 1$, $0 \leq d < 1$, $c+d < 1$) (pg. 3, paragraph [0046]; Figs. 1-9).

19. Regarding claim 12, Hasegawa et al. discloses a diode as described in reference to claim 11, wherein the second n-type semiconductor layer (item 12) is an n-type contact layer (pg. 3, paragraph [0044]; Figs. 1-9).

20. Regarding claim 14, Hasegawa et al. discloses a light-emitting diode comprising:

- a light-emitting layer (item 16) formed over the first n-type semiconductor layer (pg. 3, paragraph [0048]; Figs. 1-9).
- a second n-type semiconductor layer (item 12) formed between the substrate (item 11) and the first n-type semiconductor layer (item 13) (pg. 3, paragraph [0046]; Figs. 1-9);
- a third n-type semiconductor layer (item 14) formed between the first n-type semiconductor layer (item 13) and the light-emitting layer (item 16) (pg. 3, paragraph [0046]; Figs. 1-9).

21. Hasegawa et al. does not disclose a light-emitting diode a substrate made of group III-V nitride semiconductor or a first n-type semiconductor layer containing indium

Art Unit: 2811

and formed over a main surface of the substrate and wherein the third n-type semiconductor layer is an n-type contact layer.

22. However Tsujimura et al. discloses a light-emitting diode comprising a substrate (item 11) made of group III-V nitride semiconductor (pg. 4, paragraph [0071]; Fig. 1).

23. Additionally D'Evelyn et al. discloses a light-emitting diode comprising a first n-type semiconductor layer (item 172) containing indium and formed over a main surface of the substrate (item 106) and wherein the third n-type semiconductor layer (item 118) is an n-type contact layer (pg. 10, paragraph [0094]; pg. 12, paragraph [0113], lines 5-9; Figs. 7 and 11).

24. It would have been obvious for one of ordinary skill in the art to form a light-emitting diode as disclosed by Hasegawa, comprising a substrate made of group III-V nitride semiconductor as disclosed by Tsujimura et al. and a first n-type semiconductor layer containing indium and formed over a main surface of the substrate and wherein the third n-type semiconductor layer (item 118) is an n-type contact layer as disclosed by D'Evelyn et al. since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416.

25. Regarding claim 19, Hasegawa et al. discloses diode as described in reference to claim 1, further comprising:

- an n-type contact layer (item 12) which is formed between the substrate (item 11) and the light-emitting layer (item 16) and a portion of which is exposed (pg. 3, paragraph [0046]; Figs. 1-9);

Art Unit: 2811

- an n-side electrode (item 23) formed on the exposed portion of the n-type contact layer (item 12) (pg. 4, paragraph [0062]; Figs. 1-9);
- an n-type cladding layer (item 14) formed between the first n-type semiconductor layer (item 13) and the light-emitting layer (item 16) (pg. 3, paragraph [0046]; Figs. 1-9);
- a p-type semiconductor layer (item 17) formed on the light-emitting layer (item 16) (pg. 3, paragraph [0048]; Figs. 1-9);
- a p-side electrode (item 98) formed over the p-type semiconductor layer (item 17), wherein the device is mounted with an element formation surface thereof facing a submount for mounting (pg. 4, paragraph [0063]; Figs. 1-9);

26. Regarding claim 21, Hasegawa et al. discloses a diode as described in reference to claim 1, wherein the light-emitting layer (item 16) has a multiple quantum well structure (item 15) formed by alternately stacking a quantum well layer made of group III-V nitride semiconductor not containing As, P and Sb, and a barrier layer made of group III-V nitride semiconductor.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to VERNON P. WEBB whose telephone number is (571)270-3332. The examiner can normally be reached on Monday through Friday, 7:30 am to 5 pm, Eastern.

Art Unit: 2811

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne A. Gurley can be reached on 571-272-1760. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Lynne A. Gurley/
Supervisory Patent Examiner, Art
Unit 2811

/V. Parris Webb/
Examiner, Art Unit 2811